

Avant-Garde series

TITAN



Modernize Your Kitchen with Our Cutting-Edge & Revolutionary T-Hood

With its functional and contemporary aesthetics, TITAN complements perfectly with your kitchen space. Embrace its exceptional features, positioning as "The Pinnacle of Futuristic Cooker Hood", combining both Titanium Grey finishing and Champagne Gold embellishment.







BLDC MOTOR

Efficient - High Power Density and Energy-Saving - Noise level as low as 48dB Quiet Powerful - High Static Pressure up to 1,050Pa



I-LINK FUNCTION

Intelligence linkage between cooker hood & gas hob. The cooker hood is seamlessly activated when the gas hob is switched on.



TITAN SUCTION PLATE

The innovative & stunningly designed suction plate comes with NanoGarde Protection for effortless removal of smoke & grease.

RCH-TITAN-TG

Features

- T-Hood
- 1,950 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 455 D x 622 - 992 H



BLDC Motor



1950m³/hr Suction

Recirculating



Extraction Speed

Titanium

Grey

1 (LED) Lamp



H²Meltz (Heating



I-Link



Exchange

NanoGarde



Smart Motion Sensor


Pad)











[LP] WM: RM 2,730 EM: RM2,890

RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

830

[LP] WM:RM EM:RM 880

2 ITEMS NOW

wм: RM 3,198 EM: RM 3,398









Avant-Garde series

ARTESAN



Trendsetting
Outlook Fused
with
State-of-the-Art
Technologies

Unleash your creativity and enliven a lavish lifestyle with the **ARTESAN** cooker hood. Admire its captivating charms with this new Panello Hood - **ARTESAN**.







NANOGARDE TECHNOLOGY

- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with ease



TITANIUM GREY BODY WITH **BLACK GLASS PANEL**



CHAMPAGNE GOLD CONTROL PANEL WITH HIGH-TECH FEATURES AND SMART MOTION SENSOR

RCH-ARTESAN-TG

Features

- · Panello Hood
- 2,050 m³/hr Suction Power
- 48dB Low Noise Level
- 1,100Pa High Static Pressure
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- · Oil Cup / Trap (outer)
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 320 D x 860 - 1240 H



BLDC Motor

1 (LED)

Lamp



2,050m3/hr Suction



Extraction Speed



NanoGarde












X-Boost




DC-18 Ducting



[LP] WM: RM3,820

EM: RM4,050















RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 830 EM:RM 880 2 ITEMS NOW

wм: RM 4,178 EM: RM 4,448

Avant-Garde series

ROSSETA



Sleek Incassato Design with Intelligent Functions -A Touch of L-Shaped Brilliance with Strong **Extraction Power**


Discover the new Avant-Garde hood -ROSSETA. Enjoy a grease-free kitchen with its auto-lifting quick extraction chamber for enhanced practicality and smart controls explicitly tailored to various cooking needs with silent operation.





Efficient - High Power Density and Energy-Saving Quiet - Noise level as low as 48dB

Powerful - High Static Pressure up to 1,050Pa



AUTO-LIFTING QUICK EXTRACTION CHAMBER

The auto-lifting quick extraction chamber will drop down to clear smoke & grease while cooking and elegantly close when idle.



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut Down 80% Cleaning Time.



AIR EXCHANGE

Removal of residual smoke & odour in a 3-Cycle Mode within 1 hour to restore fresh air automatically.

RCH-ROSSETA-TG

Features

- L-Hood
- 2,200 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap
- · Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 345 D x 1060 - 1435 H



BLDC Motor



2,200m³/hr Suction



2+1 Extraction

Titanium





Recirculating

(Heating Pad)



Grey I-Link



NanoGarde



Smart Motion

H²Me**l**tz




X-Boost



Ouick Extraction



DC-18 Ducting



[LP] WM: RM3,500 EM: RM 3,710

Ő

630











RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner FFD Protection
- Battery Ignition
- LPG Gas Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 830 EM:RM 880 2 ITEMS NOW

wм: RM 3,898 EM: RM 4,138



TWIN-MOTOR

Customize your cooking experience with wider suction coverage. You can operate each motor individually to perfectly suit your culinary needs.



COOL-BREEZE

Breeze-up your cooking experience

- Feel the cool-breeze with just a touch Improve Comfort
- Provide a soothing breeze and a comfortable cooking environment



NANOGARDE TECHNOLOGY

- Nano Protection
- Easy Maintenance
- Fingerprint Resistance
- Wipe off stubborn oil & grease with ease

RCH-MEERA-BL

Features

- Slanted Hood
- 2,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- · Charcoal Filter
- · 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 395 D x 824 - 1153 H



Twin-Motor

2 (LED)

H²Meltz

Lamp



2200m³/hr Suction

Recirculating



Extraction



Cool-Breeze



Exchange



Smart Motion Sensor

(Heating Pad)



∦)))

Ion-Balance



X-Boost




卿

NanoGarde



DC-18 Ducting



[LP] WM: RM3,060 EM: RM3,240

RGH-CALDO2B-BL Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 830 EM:RM 880

2 ITEMS NOW **WM: RM 3,498**

RM 3,718







Ő







EM:





BLDC MOTOR


Efficient - High Power Density and Energy-Saving

Quiet - Noise level as low as 48dB

Powerful - High Static Pressure up to 1,100Pa



CASSETTE CHARCOAL FILTER FOR INTERNAL RECIRCULATION



ION-BALANCER

Anions are produced to balance static charges from pollutants. This will eliminate odours and sanitise the air.

RCH-LUSTRO-BL

Features

- Panello Hood
- 2,050 m³/hr Suction Power
- · Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 351 D x 1054 - 1434 H



BLDC Motor



2050m³/hr Suction



Extraction Speed



1 (LED) Lamp



Recirculating



Cool-Breeze







Exchange



Smart Motion Sensor



Ion-Balance




X-Boost



NanoGarde




DC-18 Ducting



[LP] WM : RM3,680

EM: RM3,900





5.2kl 5.2kw Flam Powe











RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass BurnerFFD Protection
- Battery Ignition
- LBC Coo
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 830 EM:RM 880 2 ITEMS NOW

WM: RM 4,058 EM: RM 4,308





COOL-BREEZE TECHNOLOGY

Cool-Breeze blowing from the upper chamber provides you with a smoothing and comfortable cooking environment.



BEVELED GLASS PANEL

Beveled glass panel brings modernity to your kitchen.



SMART MOTION SENSOR

With a wave of your palm, you can turn ON the X-Boost mode and alter the extraction speeds.

RCH-CASSERA-90BL

- 2 + 1 (X-Boost) Extraction Speed
- · Ergonomic Baffle Oil Filter
- Oil Cup / Trap (outer)
- · Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 900 W x 405 D x 760 - 1050 H



1650m³/hr Suction Power

Cool-

Breeze

H²Meltz

(Heating Pad)



Extraction Speed



2 (LED) Lamp








Recirculating



X-Boost






[LP] WM: RM2,820

EM: RM2,990













RGH-CALDO2B-BL

Features

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface
- SS + Brass Burner
- FFD Protection Battery Ignition
- LPG Gas
- Cast Iron Pan Support Wok Stand
- Technical Info

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM:RM 830 EM:RM 880 wм: RM 3,288 EM: RM 3,488

2 ITEMS NOW





H²MELTZ TECHNOLOGY + X-BOOST

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



QUICK EXTRACTION

The perfect position of the extraction chamber provides powerful suction that absorbs smoke, grease & odour quickly while you cook.



SENSOR TOUCH CONTROL

RCH-NEORA-90BL


Features

- Slanted Hood
- 1,600 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- · Oil Cup/ Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 896 W x 443 D x 943 - 1318 H

[LP] WM: RM 1,780 EM: RM 1,890





1600m³/hr Suction









Recirculating



H²Me**l**tz (Heating Pad)





DC-18



Quick Extraction

880



Touch





RGH-CALDO2B-BL

[LP] WM:RM 830 EM:RM

2 ITEMS NOW **WM: RM 2,348**

EM: RM 2,498





DUAL-SUCTION

Dual-Suction chamber for excellent & complete extraction.



SMART MOTION SENSOR

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.

RCH-ASPIRA-90SS

Excellent Extraction Capacity with

Dual-Suction Chamber Technology

ASPiRA÷


Features

- Slanted Hood
- 1,500 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- Oil Cup/ Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 895 W x 419 D x 970-1260 H

[LP] WM: RM2,000 EM: RM2,120



_315



Recirculating



X-Boost

2+1 Extraction





1 (LED)









RGH-CALDO2B-BL

[LP] WM: RM 830 880 EM:RM

2 ITEMS NOW

WM: RM 2,548 EM: RM 2,708





CONCAVE SUCTION CHAMBER

For a better smoke extraction coverage.



SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



REDISCOVER NEW ELEGANCE WITH PREMIUM BLACK OUTLOOK

RCH-MONZA X-BL


Features

- T Hood
- 1,700 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Concave Oil Filter
- · Oil Cup / Trap (outer)
- · Charcoal Filter
- 1 (LED) Lamp
- · Delay Timer

Technical Info

Product Dimension (mm) 896 W x 455 D x 580 - 950 H

[LP] WM: RM 1,830 EM: RM 1,940





1700m³/hr Suction





Extraction



X-Boost

1 (LED)



Smart Sensor



Filter



DC-18 Ducting



RGH-CALDO2B-BL

[LP] WM: RM 830

EM:RM 880 2 ITEMS NOW

WM: RM 2,388 EM: RM 2,548





H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



EASY MAGNETIC BAFFLE PLATE

Easily detachable to save time for regular maintenance and cleaning.



DUAL-STEP LED LAMP

Added convenience and better lighting for cooking activities in the kitchen.

RCH-MARK X-BL


Features

- Slanted Hood
- 1,500 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 +1 (X-Boost) Extraction Speed
- Ergonomic Baffle Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 1 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 896 W x 443 D x 943 - 1318 H

[LP] WM: RM1,600 EM: RM1,700





UAL-STEP LED

DC-18 Ducting

1500m³/hr Suction

Dual-Step

LED

DC-18

Ducting







1 (LED)



(Heating Pad)













RGH-VISTA2B-BL

[LP] WM: RM 780 EM:RM 830

2 ITEMS NOW wm: RM 2,148

RM 2,278

EM:





H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



350 INCASSATO

Control Panel of the hood can now be perfectly in-line with the kitchen cabinet.



OIL-FREE WALL

The design of the cooker hood covers your wall. Hence oil that would otherwise end up on your wall would flow into the designated oil cup.

RCH-SIROCCO XR-BL


Features


- L Hood
- 1,800 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-boost) Extraction Speed
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 350 D x 1057 - 1385 H

[LP] WM: RM 2,820 EM: RM 2,990







1800m³/hr Suction

Recirculating



Extraction



DC-18

Ducting



X-Boost

H²Meltz

(Heating

830



Smart Motion Sensor

Extraction





Easy Maintenance



Exchange



350 Incassato



RGH-VISTA2B-BL

[LP] WM:RM 780 EM:RM

2 ITEMS NOW

wm: RM 3,238 EM: RM 3,428











95% HYBRID FILTRATION **SYSTEM**

The whole new innovative Hybrid Filter is paired with a flat plate and baffle filter. The design is created to channel the surrounding air pressure from the flat plate towards the baffle filter area for faster and more efficient extraction and oil filtration.



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



ION-BALANCER

Anions are produced to balance static charges from pollutants. This eliminate odours and sanitise the air.



1500m³/hr Suction





2 (LED)



DC-18 Recirculating







H²Meltz (Heating









Hybrid (Patented) Oil Filter

Pyramid T - Hood

1,500 m³/hr Suction Power Sensor Touch Control Panel

2+1 (X-boost) Extraction Speed

RCH-THORA-SS

- Oil Cup / Trap (outer)
- Charcoal Filter

Features

- 2 (LED) Lamp
- **Delay Timer**

Technical Info

Product Dimension (mm) 896 W x 525 D x 580 - 850 H

[LP] WM: RM 2,760 EM: RM 2,930



580

RGH-VISTA2B-BL

896

[LP] WM: RM 780 EM:RM 830 2 ITEMS NOW

wм: **RM 3,188** EM: RM 3,378



An Essential & Dependable Companion, where Simplicity Meets Productivity

RCH-BOXLINE XR-90SS

Features


- T Hood
- 1,600 m³/hr Suction Power
- Sensor Touch Control Panel
- 2 + 1 (X-Boost) Extraction Speed
- Pyramidal Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 897 W x 511 D x 558 - 808 H

[LP] WM: RM 1,720

EM: RM 1,820





1600m³/hr Suction



Extraction



2 (LED)

X-Boost



Beveled

Glass

Panel

Motion

Sensor



Invisible Control Panel

H²Meltz

(Heating Pad)

DC-18

Ducting



Easy Maintenance

200 **(a)**

H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.




SMART MOTION SENSOR & X-BOOST

With a wave of your palm, you can turn ON/OFF the hood without having to touch the control panel.



EASY MAINTENANCE





RGH-VISTA2B-BL

- L:5.0 R:5.0 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

2 ITEMS NOW

[LP] WM: RM 780

830

EM:RM

wм : RM 2,248 EM: RM 2,378











MARIA



RCH-MARIA-SS

Features


- Arch-Glass
- 1,200 m³/hr Suction Power
- Sensor Touch Control Panel
- 3 Extraction Speed
- Pyramidal Oil Filter
- Oil Cup / Trap (outer)
- Charcoal Filter
- 2 (LED) Lamp
- Delay Timer

Technical Info

Product Dimension (mm) 896 W x 500 D x 567 - 967 H

[LP] WM: RM 1,760

EM: RM 1,870





1200m3/hr Suction



Extraction Speed



2 (LED) Lamp



Recirculating



DC-12 Ducting



(Heating Pad)



H²MELTZ TECHNOLOGY

Activate for 10 minutes to melt stubborn grease at 80°C. Cut down 80% cleaning time.



EASY MAINTENANCE


It is maintenance-friendly and easier to clean the fan blade and motor as the panel that heats up to 80°C reduces the amount of oil collecting on the oil cup.



ARCH-GLASS DESIGN

The Arc-Shaped hood and stainless steel filter achieves high oil-filtration and odour-reduction. It also improves air quality while protecting walls and surface against discoloration and damage.





RGH-BRAVA2B-BL

- L:4.5 R:4.5 Flame Power (kW)
- Vortex / Twister Flame Style
- Tempered Glass Surface • Stainless Steel + Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 760 W x 440 D Cut-out Dimension (mm): 630 W x 330 D

EM:

2 ITEMS NOW

[LP] WM:RM 750 EM:RM 800

wм : RM 2,258

RM 2,398











Avant-Garde SERIES

ARTESAN



GRANDERA

-Range Cooker —

PROFESSIONAL CHOICE! FREESTANDING COOKER WITH TWIN-OVEN



ROBUST & VERSATILE

The high-quality range cooker enables you to cook multiple dishes with both gas burners and ovens simultineously.



COOKTOP WITH ITALIAN SABAF BURNER WITH & FISH BURNER

The FIVE burners with different flame powers.



TWIN-OVEN WITH 83L & 45L CAPACITY

Preparing TWO dishes at the same time!





Rotisserie ensures the meat is evenly cooked and perfectly browned on all sides. Telescopic Runner ensures a hassle-free, smooth and safe slide out of your dishes from the oven or bastes it.





A user-friendly function that allows you to easily control & adjust the temperature and cooking time.





STORAGE COMPARTMENT

SABAF

To reduce cooking grease splattering to the kitchen wall.



RRC-GRANDERA-618-SS





RRC-GRANDERA-PR0928-SS

Gas Hob Features Flame Power (kW) Flame Style Surface Material Burner Material FFD Protection Ignition Type of Gas Pan Support Wok Stand Product Dimension (W x D x H mm)

LR:1.75 LF:3.7 RR:1.75 RF:1.0

Straight Stainless Steel SABAF Burner Electric LPG Cast Iron Cast Iron 600 x 600 x 900 LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0

Straight Stainless Steel

SABAF Burner with Fish Burner

Electric LPG Cast Iron Cast Iron 900 x 600 x 900 LR:1.75 LF:3.0 M: 3.7 RR:1.75 RF:1.0

Straight Stainless Steel

SABAF Burner with Fish Burner

Electric LPG Cast Iron Cast Iron 900 x 600 x 900

Oven Features

Cooking Programme / Function Capacity (L) Electronic Control & Display Oven Light Time Control Removable Door Shelf Side Support Cavity Material Child Lock Energy Efficiency

8 67L √ 2 √

Enamel √ Α

3

√

8 118L 2

Enamel √

8

83L + 45L

Α

3

Χ

Enamel

Highlight Features

Door Glass Layer Telescopic Runner Cooling System Rotisserie & Turnspit Storage Compartment Splash Back

8 Cooking Programme / Function:



Lamp



Button Heat with Fan Assisted



Top Heat



Top Grill




Top Grill with Fan Assisted




Circular Heat with Fan





Defrosting













Features apply to all models above:



Power up







 $\langle ^{118}_{L} \rangle$



ॐ SABAF



SABAF

Burner -







900

Grandera

Twin-Oven

83L & 45L Capacity



600

700-770min



Turnspit

Rotisserie &



Quality Glass Door

EM: RM 6,490





00

900

118L

Large



700-770min



Cooling



Splashback

Design



[LP] WM: RM 8,720

[LP] WM: RM 9,650 EM: RM 9,240 EM: RM 10,230







SERIES



FRET &

CONVERGING

FLAME WITH

CONCENTRA PAN

SUPPORT

BUILT-IN GAS HOB

Experience lightning-fast ignition and converging flame coverage for better burning efficiency and uniform heat distribution.





TOP UP FROM CALDO2B PACKAGE

RGH-FASCO2B-SK

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 650-750 W x 350-430 D WM:RM

[LP] WM:RM 1,580 EM:RM 1,680 EM:RM

RGH-FASCO+2B-86SK

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- · Cast Iron Pan Support

Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 800-830 W x 440-470 D

WM:RM [LP] WM: RM 1,920 EM:RM

RGH-FASCO+3B-86SK

- L:4.0 M:2.0 R:5.5 Flame Power (kW)
 - · Dritto / Straight Flame Style
- SETAKERA Glass with Champagne Gold Aluminium Frame
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 700-830 W x 400-470 D

WM:RM [LP] WM: RM 2,080 EM:RM EM: RM 2,200

RGH-FASCO2B-TG

- L:5.5 R:5.5 Flame Power (kW)
- Dritto / Straight Flame Style
- Titanium Grey Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 650-750 W x 350-430 D

WM:RM

[LP] WM:RM 1,610

EM: RM 1,700

730

RGH-FASCO+3B-86TG

L:4.0 M:2.0 R:5.5 Flame Power (kW)

- Dritto / Straight Flame Style
- Titanium Grey Stainless Steel Surface
- Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 700-830 W x 400-470 D

WM:RM [LP] WM: RM 2,150 EM: RM 2,280 EM:RM

































SETAKERA Glass with











780























800-830

700-830

650-750

780















Fingerprint Resistance





























PREMIUM











































PREMIUM

Titanium Grey Stainless Steel Surface















860



RGH-CALDO2B-SS

- L:5.2 R:5.2 Flame Power (kW)
- Vortex / Twister Flame Style
- · Stainless Steel Surface
- Stainless Steel + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 710 W x 400 D Cut-out Dimension (mm): 630 W x 330 D

WM:RM [LP] WM:RM 860 EM:RM EM: RM

RGH-TREZZA2B-SK

- L:6.3 R:6.3 Flame Power (kW)
- Dritto / Straight Flame Style
- SETAKERA Glass Surface
- Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 705-740 W x 375-420 D

WM:RM

EM:RM

RGH-DAKKA2B-SK

L:6.3 R:6.3 Flame Power (kW)

- Dritto / Straight Flame Style
- SETAKERA Glass Surface
- Brass Burner
- FFD Protection
- · Battery Ignition
- LPG Gas
- · Cast Iron Pan Support Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 800-830 W x 440-470 D

WM:RM [LP] WM: RM 1,830 EM:RM EM: RM 1,940

RGH-CALDO3B-BL L:5.2 M:2.0 R:5.2 Flame Power (kW)

- - Vortex / Twister Flame Style
- · Tempered Glass Surface
- Stainless Steel + Brass Burner
- FFD Protection
- Battery Ignition

[LP] WM:RM 1,120

- LPG Gas
- · Cast Iron Pan Support

Wok Stand

Product Dimension (mm): 800 W x 460 D Cut-out Dimension (mm): 680 W x 380 D

WM:RM

EM: RM 1,190

RGH-CALDO3B-SS

- L:5.2 M:2.0 R:5.2 Flame Power (kW)
 - Vortex / Twister Flame Style
 - Stainless Steel Surface
 - Stainless Steel + Brass Burner
 - FFD Protection
 - · Battery Ignition
 - LPG Gas
 - Cast Iron Pan Support
 - Wok Stand

ogu Product Dimension (mm): 760 W x 450 D Cut-out Dimension (mm): 680 W x 380 D

WM:RM [LP] WM: RM 1,160 EM: RM 1,230


EM:RM

EM: RM

3-BURNER SERIES

950











5.2kW 5.2kW Plame Failure Device (FFD) Ignition Style Flame Failure Device (FFD) Ignition Style With Barricade









Fingerprint Resistance









SETAKERA Glass Surface

860

PREMIUM

(3)

705-740

SETAKERA Glass Surface

780



Battery Ignition

∦)) I-Link

0



Nano Coating










800-830




































TOP UP FROM VISTA2B PACKAGE

RGH-ENYA2B-SS

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Stainless Steel Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support
- Wok Stand

Product Dimension (mm): 710 W x 400 D Product Dimension (mm): 710 W x 400 D Cut-out Dimension (mm): 630 W x 330 D

[LP] WM : RM 810

WM: RM 30 EM:RM 860 EM:RM











2-BURNER BUILT-IN GAS HOB




















RGH-FIGATA2B-BL

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- · Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Wok Stand


Product Dimension (mm): 760 W x 460 D Cut-out Dimension (mm): 703 W x 403 D

[LP] WM : RM 800









860

700-810





















RGH-FOTEZ2B-BLFX

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Cast Iron Wok Stand

Product Dimension (mm): 780 W x 460 D

Cut-out Dimension (mm): 650-725 W x 350-415 D

[LP] WM: RM 1,630 EM: RM 1,730 WM:RM

EM:RM

RGH-LOTOFLEXI2B-BLFX

- L:5.0 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support
- Cast Iron Wok Stand

Product Dimension (mm): 860 W x 500 D Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM:RM 1,630 EM:RM 1,730

WM:RM EM:RM













TOP UP FROM VISTA2B PACKAGE

RGH-VISTA3B-BL

- L:5.0 M:2.0 R:5.0 Flame Power (kW)
- Vortex/ Twister Flame Style
- Tempered Glass Surface
- Stainless Steel + Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- Cast Iron Pan Support

Wok Stand

Product Dimension (mm): 780 W x 460 D Cut-out Dimension (mm): 685 W x 380 D

[LP] WM:RM 990 EM:RM 1,050 WM:RM EM:RM










.















® ® ®







RGH-LOTOFLEXI3B-BLFX

- L:5.0 M:1.4 R:5.0 Flame Power (kW)
- Dritto / Straight Flame Style
- Tempered Glass Surface
- Brass Burner
- FFD Protection
- Battery Ignition
- LPG Gas
- · Cast Iron Pan Support Cast Iron Wok Stand

Product Dimension (mm): 860 W x 500 D

Cut-out Dimension (mm): 700-810 W x 400-450 D

[LP] WM: RM 1,790 EM: RM 1,900 WM:RM EM:RM









RENZO

MAINTENANCE TIPS

(1) GLASS SURFACE CLEANING

Glass surface is easy to clean. Make sure to use only soft cloth / sponge with non-abrasive detergent to avoid damage / scratch the surface.

2 CLEAN UP SPILL AS SOON AS IT OCCURS

Do not use cold water on hot surface as it will create thermal shock that can reduce the life span of the glass. Handle carefully when surface is hot.

3 CLEAN THE BOTTOM TOF COOKWARE

Cleanliness of the cookware's bottom is very important as it will affect the heating efficiency.

DO NOT DRAG HEAVY
COOKWARE ON THE HOB

Always lift cookware off and never slide or drag across the hob surface as they might cause scratches and damage.







RIVOLI

QUALITY ELECTRIC HOB, GUARANTEED.


The perfect addition to all modern kitchens today, bringing functionality and elegance as one.





KONSTEC HEAT CONTROL WITH OVERHEATING PROTECTION

With **KONSTEC** heat control technology, the temperature is electronically controlled to provide constant and more uniform distribution of cooking heat. It also comes with a built-in overheat protection sensor to provide extra safety and avoid the vitro-ceramic glass surface being damaged by overheating.






810



















W





RCH-RENZO42-BL

Hybrid - Horizontal

- L: 2.2 (X-Boost) R: 2.0 Energy Power Level (kW)
- 9 Power Level
- Vitro-Ceramic Glass Surface Material
- Timer
- Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D


[LP] WM:RM 1,620 EM: RM 1,720 WM:RM 750 EM:RM

ROSSE

BUILT-IN CERAMIC HOB























RCE-ROSSE42-BL

Ceramic - Horizontal

• L: 2.0 R: 2.2 (X-Boost) Energy Power Level (kW)

RIH-REKKA44-BL Induction - Horizontal • L: 2.2 (X-Boost) R: 2.2 (X-Boost) Energy Power Level (kW) 9 Power Level

[LP] WM:RM 1,680 EM:RM 1,780

 Hybrid - Horizontal L: 2.2 (X-Boost) R: 2.2

• 9 Power Level

• Timer Safety Lock

RCH-VALIDO44-BL

Energy Power Level (kW)

• Vitro-Ceramic Glass Surface Material

Cut-out Dimension (mm): 710 W x 410 D

Product Dimension (mm): 730 W x 430 D x 58 H

- 9 Power Level
- · Vitro-Ceramic Glass Surface Material
- Timer

Timer Safety Lock

Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D

WM:RM

[LP] WM: RM 1,620 EM: RM 1,720

• Vitro-Ceramic Glass Surface Material

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 690 W x 390 D

750 EM:RM

WM:RM /


EM:RM



REKKA BUILT-IN INDUCTION HOB























Valido series BUILT-IN HYBRID HOB




Aluminium Frame






KONSTEC Heat Control


























EM: RM 2,600

· Induction - Horizontal

[LP] WM: RM 2,450

• L: 2.2 R: 2.2 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 710 W x 410 D

WM:RM [LP] WM: RM 2,230 1,330 EM:RM EM: RM 2,370

EM:RM

























Veloce series BUILT-IN INDUCTION HOB

















RIH-VELOCE58-BL

· Induction - European

LF: 2.0 LR:1.5 R: 2.3 Energy Power Level (kW)

9 Power Level

• Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 590 W x 520 D x 56 H Cut-out Dimension (mm): 560 W x 500 D

[LP] WM : RM 2,000 WM : RM 1,050 EM:RM

TOP UP FROM VISTA2B PACKAGE

RIH-VELOCE35-BL

EM: RM 2,120

• Induction - Domino

• F: 1.5 R: 2.0 Energy Power Level (kW)

• 9 Power Level

Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 288 W x 520 D x 52 H Cut-out Dimension (mm): 270 W x 500 D


[LP] WM:RM 1,250 EM:RM 1,330 WM:RM 420 EM:RM


Vulcan series built-in ceramic hob

Safety Coverheat Protection Coverheat Warning Legislater





















































RCE-VULCAN30-BL

· Ceramic - Domino

• F: 1.2 R: 1.8

Energy Power Level (kW)

9 Power Level

Vitro-Ceramic Glass Surface Material

Timer

Safety Lock

Product Dimension (mm): 288 W x 520 D x 52 H

Cut-out Dimension (mm): 270 W x 500 D

WM:RM 3 [LP] WM: RM 1,200 390 EM:RM EM: RM 1,270

RCE-VULCAN40-BL

Ceramic - Horizontal

L: 1.8 R: 2.2 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

• Timer

Safety Lock

Product Dimension (mm): 730 W x 430 D x 58 H Cut-out Dimension (mm): 710 W x 410 D

WM:RM 630 [LP] WM: RM 1,490 EM:RM EM: RM 1.580

RCE-VULCAN52-BL

Ceramic - European

 LF: 1.8 LR: 1.2 R: 2.2 Energy Power Level (kW)

9 Power Level

· Vitro-Ceramic Glass Surface Material

• Timer

Safety Lock

Product Dimension (mm): 590 W x 520 D x 56 H Cut-out Dimension (mm): 560 W x 500 D

WM : RM [LP] WM : RM 1,930 EM : RM 2,050 EM:RM

R-SERIES





MAINTENANCE TIPS

1 REGULAR CLEANING
1 OF INNER CAVITY

Keep cleanliness of the cavity every time after use to avoid difficulty in removing hard stains.

2 CLEANLINESS OF DOOR GLASS

Use the right degreaser and method to clean oven glass door. Handle with care as the glass is hot after using the oven.

(3) CHOOSING THE RIGHT COOKWARE

Use only utensils and containers that are approved and labeled for microwave oven use.

(4) KNOW WHAT TO PUT INTO MICROWAVE OVEN

Foods like whole egg, chilli pepper, pasta sauce, sausages and etc are not recommended to cook using microwave, as it will create spillover.





3-IN-1 COMBI STEAM OVEN

STEAM

- Locks in nutrients and enhance its natural flavour **GRILL**
- Satisfies your carnivorous craze effortlessly **FERMENTATION**
- Keep temperature at optimum level for dough to proof evenly



50L LARGE CAPACITY

Generously-sized 50L oven accommodates large culinary.



11 COOKING FUNCTIONS

To cater for a variety of cooking.

RSO-SERRA-50BL

Features

- Steam, Grill & Fermentation Oven
- 11 Cooking Functions
- 50 L Capacity
- Sensor Touch Control Panel
- LCD Display
- · Oven Light
- Time Control
- Enamel Cavity Material
- Child Lock


Technical Info

Product Dimension (mm) 595 W x 565 D x 454 H

[LP] WM : RM 5,210 EM : RM 5,520 PWP

WM: RM 4,688

EM: RM 4,968








11 Functions



Child Lock



Steam & Grill







82L LARGE CAPACITY

Generously-sized 82L oven accommodates large culinary.



13 COOKING FUNCTIONS

To cater for a variety of cooking.



INTUITIVE KNOB CONTROL WITH SENSOR TOUCH



82L Capacity



13 Functions



5 Shelves Side Suppor



Quality 3-Layers



Cooling System



Rotisserie & Turnspit



Child

LCD Display Oven Light

Built-in Oven 13 Cooking Functions

82 L Capacity

Features

- Time Control
- Removable Door
- 5 Shelf Side Support

RBO-NUOVO-82BL

Sensor Touch with Knob Control Panel

Enamel Cavity Material

Technical Info

Product Dimension (mm) 595 W x 566 D x 596 H

[LP] WM: RM3,650 EM: RM3,880 **PWP WM: RM 3,288** EM: RM 3,488













AIR FRYER SYSTEM



83L LARGE CAPACITY

Generously-sized 83L oven accommodates large culinary.



3D COOKING EFFECT

RBO-BECCA-83BL

Features

- Built-in Oven
- 10 Cooking Functions
- 83 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- · Enamel Cavity Material


Technical Info

Product Dimension (mm) 594 W x 498 D x 594 H

[LP] WM: RM 2,430 EM: RM 2,580 **PWP**

wм: **RM 2,188**

EM: RM 2,318





83L Capacity



10 Functions



5 Shelves Side Suppor



Quality 3-Layers Glass Door



Cooling System



Air Fryer



3D Cooking
























BUILT-IN OVEN




















Rotisserie & Turnspit









Rotisserie & Turnspit














5 Shelves Side Support





















RBO-CAVO-60BL

Features

- Built-in Oven
- 7 Cooking Functions
- 60 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 594 W x 498 D x 594 H

[LP] WM: RM1,600

EM: RM 1,700

PWP

wм: RM 1,438

RM 1,528 EM:

RBO-LAVA-70SS

Features

- · Built-in Oven
- 8 Cooking Functions
- 70 L Capacity
- Mechanical Control Panel
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 595 W x 555 D x 595 H

[LP] WM: RM 2,050 EM: RM2,170

PWP

wм: RM 1,848

RM 1,958 EM:

RBO-IA8X-70SS

Features

- Built-in Oven
- 8 Cooking Functions
- 70 L Capacity
- Mechanical + Digital Control Panel
- LCD Display
- Oven Light
- Time Control
- Removable Door
- 5 Shelf Side Support
- **Enamel Cavity Material**
- A-Class Energy Efficiency

Technical Info

Product Dimension (mm) 594 W x 548 D x 594 H

[LP] WM: RM 2,790 EM: RM 2,960 **PWP**

wм : <mark>RM 2,508</mark> EM:

RM 2,658












Support

























Cooling System

RMO-OREO-28BL

Features

- · Built-in Microwave with Grill
- 8 Auto Menu
- 28 L Capacity
- Electronic Control Panel
- LCD Display
- Oven Light
- Time Control
- · Stainless Steel Cavity Material
- Child Lock

Technical Info

Features

• 8 Auto Menu · 34 L Capacity

 LCD Display Oven Light

Time Control

Product Dimension (mm) 595 W x 400 D x 388 H

[LP] WM: RM1,400

· Built-in Microwave with Grill

• Electronic Control Panel

• Stainless Steel Cavity Material

EM: RM 1,490


RMO-934SS-GD34X

PWP

RM 1,258 WM:

EM: RM 1,338





Technical Info

Child Lock

Product Dimension (mm) 595 W x 407.5 D x 388 H

[LP] WM: RM 1,750

EM: RM 1,860

wм: RM 1,578 EM: RM 1,668

PWP














ONLINE REGISTRATION

- ① Log on to www.rubine.com.my
- ② Click on 'Support', followed by 'Warranty Registration' to proceed. You're required to sign up as a member.
- ③ Please fill up the necessary information, tick on the checkbox and click 'Sign Up'.
- 4 You'll receive notification of warranty registration confirmation via email.
- ⑤ Your warranty will be automatically extended for another 1 year upon online registration. Please keep your online warranty certificate for future services.
 - * Please find out from our authorized dealers for extented warranty!

OUR WARRANTY



6 YEARS OF WARRANTY

APPLICABLE ON HOOD MOTOR ONLY.



5 YEARS OF WARRANTY

APPLICABLE ON **TEMPERED GLASS OF GAS HOB** ONLY.



18 MONTHS OF STANDARD WARRANTY

APPLICABLE ON **ALL PRODUCTS** EXCLUDING ACCESSORIES.



1 YEAR OF WARRANTY EXTENSION

REGISTER ONLINE NOW AND GET 1 YEAR WARRANTY EXTENSION!

CUSTOMER CARE & WAYS TO REACH TO US



AFTER-SALES SERVICE

Contact: 03 – 6286 9000 Email: eqservice@fiamma.com.my



OPERATION HOURS

08.30am - 06.00pm Monday-Friday, except public holiday





WAYS TO REACH US

Whenever you think of kitchen appliances, please pay a visit to your nearest Rubine store or find us online to get instant inquiry: rubine.com.my

^{*}Product images for illustration purposes only.



REDEFINE THE WAY OF LIFE

2024 V.2

